

Outdoor Living Stylish open spaces



Printing errors, changes and deviations from the technical specifications and product presentation are possible due to the individual structural conditions and apply to all the products included in this brochure.





No matter whether it's open space for big dreams, inspiring thoughts or great memories, our latest Outdoor Living range offers a great deal of freedom for your personal wishes. For every requirement. For the whole family. Whether playing with the kids, working in the open air, enjoying cosy dinners with friends or simply relaxing and doing nothing, you can design your own personal outdoor space and enjoy a unique ambience on your patio, balcony or open space with WAREMA:

You have ideas – we have the perfect solution. With a real boost to your Made in Germany quality of life. Let yourself be inspired.

Table of contents

Patio awnings Terrea 6

- Terrea 550
- Terrea 580
- Terrea K60
- Terrea K50
- Terrea K70
- Terrea H60
- Terrea G60
- Terrea 530
- Terrea 700S
- Equipment extras

Patio Side Screen 20

- Patio Side Screen 390
- Equipment extras

Pergola awnings Perea 24

- Perea P20
- Perea P40
- Perea P60
- Perea P70
- Equipment extras

Slat roofs Lamaxa 36

- Lamaxa L50
- Lamaxa L60
- Lamaxa L70
- Lamaxa Line
- Lamaxa Free
- Equipment extras

Conservatory awnings Climara 46

- Climara W10
- Climara W20
- Climara W9
- Climara W19
- Climara W7
- Climara D3
- Equipment extras

Sun sail Sonea 56

- Sonea S40
- Sonea S50
- Sonea S70
- Equipment extras

Insect Screen 62

- Roller blind
- Fixed frame
- Swivel door
- Sliding door
- Pleated blind
- Swinging door
- Equipment extras

Accessories/Colours 74

Even more Outdoor Living products



Patio awnings Terrea Make space for something great







Want to enjoy more time outdoors without compromising on a perfect sun shading system?

With the help of our innovative awning solutions, you can create an entirely new living space on your own patio for working, relaxing or playing. You can find high-grade Terrea patio awnings for every installation situation and taste in our current programme. Attractive designs and frame colours ensure you have the greatest design freedom. And the clever accessories guarantee optimum operating comfort and a real boost to your quality of life.



Cassette awning Terrea 550

Slender cassette design

With this cassette awning, everyone can look forward to pleasant afternoons on a perfectly shaded patio. The small and compact design of the cassette perfectly matches any facade.

Brilliant extras

- Valance
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Wall connection profile with rain hood

Max. width	4,500 mm
Max. projection	2,500 mm
Max. inclination angle	40°
Cassette	182x108 mm
Articulated arm	Power transmission through flexband
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in RAL 9016, RAL 9006, W4916, optional in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation

- Installation possible in protected and unprotected positions thanks to closed cassette
- Very flat, compact design
- Unobtrusive, harmonic integration in the facade



Cassette awning Terrea 580

Extensive shading

This cassette awning ensures a harmonious, comfortable atmosphere. The compact look promises unobtrusive integration into the building facade and thus shades large areas whilst remaining stylish.

The benefits for you

- Installation possible in protected and unprotected positions thanks to closed cassette
- Shading for large areas
- Flat, compact construction that emphasises the modern design

- Valance
- Valance roller blind with crank
- Integrated LED strips
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Wall connection profile with rain hood

Max. width	5,500 mm
Max. projection	3,000 mm
Max. inclination angle	40° (for motor)/25 $^{\circ}$
Cassette	226x129 mm
Articulated arm	Power transmission through flexband
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in RAL 9016, RAL 9006, W4916, optional in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation,







Cassette awning Terrea K60

Classic design

Versatile, functional, inspiring: this compact cassette awning offers everything that makes for a reliable sun shading system. The oval cassette can be stylishly integrated into any facade and protects the fabric and the articulated arms from the wind and weather.

Brilliant extras

- Valance roller blind with crank/motor or WMS Comfort control
- Integrated LED strips
- Valance
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Wall connection profile with rain hood

Max. width	7,000 mm
Max. projection	4,000 mm
Max. inclination angle	30° (with adjustable console)
Cassette	240x165 mm
Articulated arm	Power transmission via chain or cable, optional segment
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation

- Installation possible in protected and unprotected positions thanks to closed cassette
- Reliable shading system for large areas
- Comfortable visual privacy in combination with patio side screen or valance roller blind
- WMS Comfort control for unbeatable comfort



Cassette awning Terrea K50

Small and linear

Enjoy optimum sun shading even on the smallest of patios or balconies. This cassette awning is perfectly suited to small areas in particular and does not compromise on flexibility and design as a result. It is now also available with a valance roller blind - for undisrupted feel-good moments on your patio.

The benefits for you

- Installation possible in protected and unprotected positions thanks to closed cassette
- Flat, compact design with small dimensions
- Exclusive product design in cubic form
- Small mounting distance to wall and ceiling

- Integrated LED strips
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Valance roller blind with crank
- Wall connection profile with rain hood

Max. width	5,000 mm
Max. projection	3,000 mm
Max. inclination angle	35°
Cassette	200x130 mm
Articulated arm	Power transmission through flexband
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in RAL 9016, RAL 9006, W4916, optional in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation











Cubic design highlight

Do you like simple design and straight lines? Then you will love this cassette awning. With its compact, rectangular construction, it fits seamlessly into cubic architectural designs with flat or mono-pitched roofs.

The benefits for you

- The cassette provides reliable protection of the awning fabric and articulated arms against dirt and weather
- Exclusive product design
- Reliably sophisticated functionality
- High-grade, stylish appearance
- Fully integrated WMS Comfort control for unbeatable comfort
- Various design options thanks to a large selection of designs and frame colours

- Valance roller blind with crank/motor or WMS Comfort control
- Integrated LED strips
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Wall connection profile with rain hood



Half-closed articulated arm awning Terrea H60

Flexibly extendable

Thanks to this articulated arm awning, you can rely on comfortable cool spaces even on hot days. Thanks to the integrated rain hood and the optional fabric bearing shell, the fabric is fully protected, even in bad weather.

Brilliant extras

- Valance roller blind with crank/motor or WMS Comfort control
- Integrated LED strips
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Turning gear

Max. width	7,000 mm
Max. projection	4,000 mm
Max. inclination angle	45°
Articulated arm	Power transmission through chain/cable, optional segment
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation

- Protection from above for fabric and articulated arms with the standard rain hood
- Additional fabric protection from below with the optional fabric bearing shell
- Large selection of design options
- LB model available for large projection with small awning width



Open articulated arm awning **Terrea G60**

Textile product design


This articulated arm awning, with its distinctive textile look, ensures perfect shading even when the sun is low in the sky – thanks to the option of adjusting the inclination angle to up to $85\,^\circ$ as well as the optional valance roller blind.

The benefits for you

- Protection against low sun by adjusting the inclination angle to up to 85°
- LB model available for large projection with small awning width

- Valance roller blind with crank/motor or WMS Comfort control
- Integrated LED strips
- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)
- Turning gear

Max. width	7,000 mm
Max. projection	4,000 mm
Max. inclination angle	85°
Articulated arm	Power transmission via chain or cable, optional segment
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation







Open articulated arm awning Terrea 530

Solid basic model


Want to enjoy the pleasant summer air? Despite its understated design, this articulated arm awning is impressive in terms of its function. It is an ideal shading system and fulfils every requirement.

Brilliant extras

- LED strip light rail
- Radiant heater
- WMS wind sensor
- Fabric lettering (screen printing)

- Protection against low sun by adjusting the inclination angle to up to 90°
- Large selection of design options
- LB model available for large projection with small awning width

Max. width	6,000 mm
Max. projection	3,000 mm
Max. inclination angle	90°
Articulated arm	Power transmission via textile strip
Drive	Motor, optional: WMS Radio motor, solar drive, crank
Colour	Powder-coated in RAL 9016, RAL 9006, W4916, optional in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation



Open articulated arm awning Terrea 700S

Invisible integration

With this articulated arm awning, you can create a comfortable shaded spot at any time. Thanks to the invisible installation in the shaft, it fits into the building facade unobtrusively.

The benefits for you

- Can be fully integrated into the facade
- Individual adjustment of the front cover panel to the facade design
- Modern design and reliable protection exactly when you need it
- Optimal utilisation of space
- Large design selection for your ideal design, whether simple or striking

- WMS wind sensor
- Fabric lettering (screen printing)



Max. width	5,960 mm
Max. projection	3,000 mm
Max. inclination angle	20°
Articulated arm	Power transmission through chain/cable, optional segment
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92, Twilight Pearl
Installation	Wall installation







WMS wind sensor

- Awning retracts automatically in high winds

Integrated control

- WMS components already built-in ex works
- Directly integrated in the bearing tube or disappears completely in the shaft housing depending on the type of awning

Design radiant heater

- Modern, flat housing
- Housing is powder-coated, meaning it can be adapted to the colour of the sun shading product's frame
- High power with 2200 Watts
- Operation via switch or WMS Plug receiver with WMS Hand-held transmitter

Turning gear

Terrea G60

 The awning's inclination angle can be adapted to the position of the sun by simply turning the crank




Valance roller blind

- Valance roller blind in the front rail, extending vertically
- Drive by means of crank or motor
- Convenient operation with the WMS comfort control
- Perfect protection against low-lying sun



Valance shapes

- Elegant awning closure available in three shapes, from straight to curved
- Accurate edging in different colours










Low sun, nosy neighbours or a light summer breeze: not a problem with our patio side screen!

It always cuts a good figure – thanks to its sloped fabric design, it harmoniously adapts to patio awnings Terrea, pergola awnings Perea or patio roofs.

Enjoy undisrupted moments on your patio thanks to ideal all-round shading.



Patio side screen 390

Three-way lateral protection

Give yourself maximum protection: against low sun, prying eyes or a balmy summer breeze. Our patio side screen can be extended simply by pulling the handle.


- Lateral wind protection, sun shading and visual privacy
- The diagonal fabric adapts optimally to the patio awning, pergola awning or patio roof
- The cassette offers perfect protection for the retracted fabric
- Simple operation via handle





An array of fabric qualities and designs guarantees you full design flexibility. Create your individual open space with optimum protection thanks to the WAREMA patio side screen. You can obtain more information at www.awnings-collection.com





- Cassette Projection profile Handle Wall bracket Support post

~	Cuppe
6	Fabric

Max. height	2,500 mm
Max. extension	5,000 mm
Max. area	10 m²
Operation	Handle
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis-92, Screen, Twilight Pearl
Installation	Installation of the cassette on the wall or in the reveal







Do you expect your sun shading system to provide not just a cosy shaded area, but also to place great importance on attractive design?

Then discover the high-grade pergola awnings Perea from WAREMA. They impress with their harmonious styling and thus add unique highlights to any patio. At the same time, the stable construction ensures optimum sun shading and weather protection at all times — even in stormy weather. The range of designs, colour shades and frame colours, in addition to the numerous extras, guarantees a maximum level of design freedom and operating comfort.

Extend your summertime by a good few days with our Perea pergola awnings and treat yourself to even more of a feel-good atmosphere!







- Excellent fabric tension thanks to the reinforcement profile

- Optional travelling reinforcement profile
- Integrated LED strips
- LED strip light rail with rectangular light rail profile
- Radiant heater
- WMS sensor system
- Multicube set
- Wall connection profile with rain hood







- Guide rails can be straight or curved
- Can be dismantled in the winter months

- Optional travelling reinforcement profile
- Valance roller blind with crank/motor
- Integrated LED strips
- LED strip light rail
- Radiant heater
- Wall connection profile with rain hood







- Weather-resistant and rainwater-proof fabric for a pleasant climate under the awning
- No light gaps at the sides between the fabric and guide rail thanks to the secudrive[®] guide

- Front-mounted awnings with easyZIP guidance for vertical shading
- GranTex with easyZIP guidance for vertical shading for large widths and slender boxes
- Integrated LED strips
- LED strip light rail
- Radiant heater
- Patio side screen
- Multicube set
- Stretcher frameWall connection profile with rain hood







- Controlled rainwater drain

- LED strip light rails on the reinforcement profiles
- GranTex with easyZIP guidance for vertical shading for large widths and slender boxes
- Front-mounted awnings with easyZIP guidance for vertical shading
- Radiant heater
- Patio side screen
- Stretcher frame
- Multicube set







Design radiant heater

- Modern, flat housing
- Housing is powder-coated, meaning it can be adapted to the colour of the frame
- High power with 2200 Watts
- Operation via switch or WMS Plug receiver with WMS Hand-held transmitter

Integrated lighting

- Integrated LED strips
- Available with WMS Dimmer

- For Perea P20, P40 and P60



- Concrete foundation not strictly necessary
- Pole fixing without screw connection in the substructure
- Practical additional seating option
- Colour of the steel basket can be customised in accordance with the WAREMA Colour World
- Choice of filling (on-site), since the steel basket is supplied empty
- Available colours for wooden seating: dark brown, grey, anthracite

Front-mounted awnings with easyZIP guidance

- Vertical shading with Perea P60 and P70
- Large design selection
- Particularly stable and strong hold thanks to zipper





GranTex with easyZIP guidance

- Vertical shading with Perea P60 and P70
- Uniform fabric appearance for units with a greater width and a slender box
- Fabric shaft support for added stability with units up to 6 m wide







Looking for a well-designed shading solution for your open space that also provides protection from rain?

Our new beautiful Lamaxa slat roofs make this possible. Look forward to an exclusive product that opens up plenty of room for your individual design wishes thanks to a wide range of colours. The well thought-out design provides safe sun and weather protection at the same time. Exactly where you need it. The stable slats can be flexibly turned as well as extended and retracted. This way you can enjoy as much sun as you like and, even if it rains, you can still enjoy your open space.

Enjoy life outdoors to the fullest and make the most of nature.





A stylish oasis of well-being

Enjoy reliable protection against sun, wind and rain on your patio the whole year round. The robust slat roof impresses with its slender shapes and guarantees the highest level of user comfort thanks to pivotable slats. A large selection of innovative extras ensures maximum individuality. For a real boost to quality of life!

The benefits for you

- Slender design
- Free-standing or mounted to the wall
- Motor perfectly integrated in the slat
- Sunlight can be individually adjusted with slat tilting
- Removable leaf catcher in the corner areas of the crossbeams

Brilliant extras

- Innovative accessory options such as LED strips integrated in the slats, all-round lighting (direct and/or indirect)
- LEDs attached to the pole
- Dimmable RGB lighting as indirect version
- GranTex with easyZIP guidance for a vertical shading solution
- Glass, wooden or aluminium sash frames as lateral visual privacy and weather protection
- Radiant heater
- Optional protection profile for a shapely closure between the crossbeam and slat and for protection from splash water







reddot winner 2021



Slat roof Lamaxa L60

All-round weather-resistant protection

The slat roof Lamaxa L60 gives you exactly the right amount of sun for your favourite spot in the garden. Thanks to the practical slat tilting, you can control how much sun you get. When the slats are closed, the slat roof offers reliable protection against rain.

Brilliant extras

- Integrated awnings with easyZIP guidance for vertical shading
- Glass, wooden or aluminium sash frames for lateral visual privacy and/or weather protection
- Dimmable LED strips in the horizontal or vertical area, direct and/or indirect
- RGB lighting as an indirect lighting option

The benefits for you

- Free-standing or mounted to the wall
- Can be used flexibly
- Radiant heater
- Sunlight can be individually adjusted with slat tilting

- Reliable weather protection when slats are closed

- Alternatively with additional pole to create a clear throughhole


- Optionally with an offset pole to create a roof overhang

Max. width	4,750 mm
Max. projection	6,330 mm
Slats	Slats are pivotable
Drive	WMS Radio motor
Frame colour	Powder-coated in the fine texture surface quality in accordance with the WAREMA Colour World
Installation	Free-standing, optional wall connection









Pivotable and manoeuvrable 2 Poles3 Water drain

Brilliant extras

- Integrated awnings with easyZIP guidance for vertical shading
- Radiant heater
- Dimmable LED strips in the horizontal or vertical area, direct and/or indirect
- RGB lighting as an indirect lighting option
- Glass, wooden or aluminium sash frames for lateral visual privacy and/or weather protection
- Alternatively with additional pole to create a clear throughhole
- Optionally with an offset pole to create a roof overhang

Max. width	4,750 mm
Max. projection	6,330 mm
Slats	Slats are pivotable and manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in the fine texture surface quality in accordance with the WAREMA Colour World
Installation	Free-standing, optional wall connection





Slat roof Lamaxa Line

Full flexibility

Outdoor family celebrations can now go off without a hitch, even if the weather isn't playing ball. Because the Lamaxa slat roof is now also available as a series-mounted unit. This means two units can be positioned on one central pole. For celebrations with no limitations.

The benefits for you

- For shading very large vertical areas
- Available for Lamaxa L60 and L70
- Free-standing or mounted to the wall
- Slat tilting and/or moving at the press of a button
- The Lamaxa Line can be linked along the length and the width
- A combination of L60 and L70 provides perfect flexibility

Max. width	4,500 mm / 9,000 mm
Max. projection	12,000 mm / 6,000 mm
Slats	Slats are pivotable and/or manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in the fine texture surface quality in accordance with the WAREMA Colour World
Installation	Free-standing, optional wall connection


Brilliant extras

- Integrated awnings with easyZIP guidance for vertical shading
- Radiant heater
- Dimmable LED strips in the horizontal or vertical area, direct and/or indirect
- RGB lighting as an indirect lighting option
- Glass, wooden or aluminium sash frames for lateral visual privacy and/or weather protection
- Optionally with additional pole to create a clear throughhole





The Lamaxa Free makes way for brand new design options. The stylish design enables an unrestricted view outside as it does not need any poles. The Lamaxa Free is installed in existing structures, such as concrete rings. This means it can be fully integrated or mounted from above. These variants are available for the products Lamaxa L60 and L70.



mechanism
3 Slats

(retracted) Drainage

The benefits for you

- Free design options
- Can be taken into consideration when planning your
- Architectural design element

Brilliant extras

- Radiant heater
- Dimmable LED strips (direct and/or indirect lighting), horizontal installation
- RGB lighting as indirect version

Max. width	4,500 mm
Max. projection	6,000 mm
Slats	Slats are pivotable and manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in the fine texture surface quality in accordance with the WAREMA Colour World
Installation	Integrated or surface-mounted installation







Vertical shading systems

- Integrated awnings with easyZIP guidance
- High wind stability and a steady hold thanks to the zipper system

- GranTex with easyZIP guidance and zipper system as ideal visual privacy, sun shading and wind protection
- Guide rails and cover panel perfectly integrated into the Lamaxa L50

Sash frames

- Elegant glass sliding systems
- Wood or aluminium sliding shutters
- Can be conveniently ordered together with the Lamaxa





L60/L70:

- LED lighting integrated into the crossbeams (directly and/or indirectly) or in the pole
- RGB lighting as an indirect lighting option
- LED strip lighting can be individually adjusted via

L50:

- Dimmable LED lighting integrated into the slats or as all-round lighting (indirect and/or direct)
- LED lighting attached to the pole
- RGB lighting as an indirect lighting option

Additional pole

L60/L70:

- With an additional pole, the slat roof can be conveniently extended, e.g. to create an additional throughhole
- With the integration of easyZIP awnings, a free throughhole can be created





Offset pole

L60/L70:

- Creates a roof overhang to cover adjacent objects such as pools
- More flexible positioning of the corner pole for more free space







Do you want to be able to spend the whole year relaxing in your conservatory and enjoying the view of nature?

With conservatory awnings Climara you can feel good all the time, while being perfectly protected from the sun when necessary. Depending on your requirements, we offer optimal sun shading, visual privacy and glare control – whether it be for classic conservatories, individual architectural solutions with large glass surfaces or patio roofs. Thanks to the variety of designs, colours and many extras, you can design your sun shading system to perfectly fulfil your wishes.

Transform your home into your own feel-good oasis with WAREMA!



Conservatory awning Climara W10

Full shading


Enjoy the four seasons in your conservatory and always be perfectly protected thanks to your conservatory awning. The conservatory awning Climara W10 is mounted internally or under glass. Thanks to the secudrive[®] guidance technology you will experience shading without a light gap between the awning fabric and guide rail. We are keeping up with the trend for clean shapes with our new cubic cover panel.

Brilliant extras

- Valance roller blind
- Integrated LED strips
- LED strip light rail
- Rectangular cover panel alternatively as cubic design
- Direction of movement "from bottom to top" also possible
- Noise optimised motor for even quieter movement behaviour

Max. width	6,500 mm
Max. projection	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional Perfora acrylic fabric, Soltis-92, Screen, Twilight Pearl
Installation	Installation under glass or internally Installation possible using brackets with different spacings

- Versatile, modern sun protection in or under glass
- Shading without light gaps between awning fabric and guide rail thanks to secudrive[®]
- Flat and compact design
- Round or rectangular cover panel shape available





Wind-stable professional

With this external conservatory awning you can effectively keep the heat out during summer and spoil yourself with warming sunrays in the winter. Thanks to the innovative secudrive® guidance, there is no incidence of light between the fabric and guide rail and a high wind stability is guaranteed. Optionally also available with a rectangular panel system.

The benefits for you

- Reliable heat protection and sun shading for a pleasant indoor climate
- Flat and compact design
- Good fabric tension thanks to secudrive® guidance
- No incidence of light between fabric and guide rail
- High wind stability
- Optional rectangular cover panel with matching rec-

Brilliant extras

- Direction of movement "from bottom to top" also possible
- WMS sensor system incl. integrated weather station

Material interlegation with contileting and	ation wing Max. pr	Max. width	6,500 mm
 Mutual interlocking with ventilation 		Max. projection	6,000 mm
1 Cover panel 2 Fabric 3 Guidance 4 Front rail		Max. area	30 m ²
		Drive	Motor, optional: WMS Radio motor
	3	Colour	Powder-coated in accordance with WAREMA Colour World
	In	Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis-92, Screen, Twilight Pearl
	oric dance	Installation	External installation Installation possible using brackets with different spacings



Reinforcement



Conservatory awning Climara W9

Sophisticated functionality

Experience a real "outdoor feeling" in your conservatory – perfectly protected from unpleasant weather. The functionally sophisticated Climara W9 is particularly easy to install under glass.

Brilliant extras

- Valance roller blind with crank

The benefits for you

- Fully developed and tried and tested back-pull principle
- Simplified installation

- Internal shading for large areas

Max. width	6,000 mm
Max. projection	6,000 mm
Max. area	30 m²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional Perfora acrylic fabric, Soltis-92, Twilight Pearl
Installation	Installation under glass or internally Installation possible using brackets with different spacings



Conservatory awning Climara W19

Ideal protection

Just sit back and enjoy. Use your conservatory as your personal relaxation haven. It is perfectly equipped with the Climara W19. The long-lasting back-pull principle is now given additional protection with a brush seal and is thus even more reliable than before.

- External wind-stable shading
- Long-lasting and proven back-pull principle in a new design
- Direction of movement "from bottom to top" also possible
- Perfect combination with the Climara D3



Max. width	6,000 mm
Max. projection	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional Perfora acrylic fabric, Soltis-92, Twilight Pearl
Installation	Installation over glass, externally using brackets with different spacings





Conservatory awning Climara W7

Discreet all-rounder

With Climara awnings, you can enjoy your personal "outdoor feeling" 365 days a year – perfectly protected in your own home. Thanks to its direct installation on the conservatory profile, the Climara W7 model is integrated in a particularly unobtrusive way.

- Unobtrusive fixing by means of direct installation of the guide rails on the conservatory profile
- Perfect sun shading for individually designed conservatories
- Lateral protrusion of the fabric beyond the guide rails facilitates optimal shading, even in hipped or sloped conservatories
- Optimum fabric tension thanks to gas pressure springs in the guide rails

Max. width	6,000 mm
Max. projection	4,500 mm
Max. area	24 m²
Drive	Motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional All Weather acrylic fabric, Perfora acrylic fabric, Soltis 92
Installation	External installation Installation directly on the conservatory profiles



Conservatory awning Climara D3

Individuality right down to the last detail

Do you place great importance on individuality when it comes to your conservatory? We offer a customised solution for almost any requirement. The Climara D3 is perfectly suited to shading triangular windows. Create a vibrant space for well-being.

- Versatile design options
- Tried and tested technology for long-lasting joy with your awning
- Perfect combination with the WAREMA conservatory awning W19
- Versatile installation on trapezoidal or triangular glass surfaces



Max. width	4,000 mm
Max. projection	5,000 mm
Max. area	10 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Fabric	Standard/Lumera acrylic fabric, optional Perfora acrylic fabric, Soltis-92, Twilight Pearl
Installation	External installation Installation possible using brackets with different spacings







LED strip light rail

- Available with WMS Dimmer (LED)
- Only available for Climara W10
- Suitable for the W10 with rectangular cover panel shape now also with a rectangular LED strip light rail profile

Integrated lighting

- LED strips in the guide rails
- With WMS dimmer
- Only available for Climara W10



Solarlux

In combination with the functional and aesthetic patio roofing of Solarlux, our conservatory awnings offer full comfort.



- Tight guidance of the fabric
- Offers wind stability
- Stops light gaps at the sides
- Only available for Climara W10 and W20
- WMS sensor system incl. integrated weather station for secudrive[®] units, Climara W20 and Perea P20 and P40



Valance roller blind

- Vertically extending valance roller blind
- Operated by crank or motor
- Comfortable operation of the valance roller blind with battery-powered motor
- Only available for Climara W9 and W10











Would you like to create your personal space in the shade outdoors without compromising on a light look and the highest level of comfort?

Make your summer dreams come true with our elegant Sonea sun sails and transform your garden or patio into a unique oasis of well-being. Our stylish shading solutions offer you limitless design variety and maximum comfort. For a considerable improvement in quality of life.

Enjoy the sunny side of life – with WAREMA.



Sun sails Sonea S40

Flexible shady spot

Treat yourself to a holiday in your garden. Our light sun sail impresses with its characteristic square fabric shape and offers the perfect combination of modern design and high-grade shading – no matter whether free-standing or mounted on the wall. The crank operation makes it easy to extend and retract – without a power supply or needing to install lines.

- Stylish aesthetics and maximum comfort
- Safe and convenient operation
- The sail extends and retracts easily thanks to the practical single-point operation with crank drive
- Optional height adjustment for the fabric's lowering mechanism offers protection when the sun is low
- Clean line guidance and particular stability thanks to the cable deflection (black)

Max. width	9,000 mm
Max. extension per side	4,500 mm
Drive	Crank
Colour	Powder-coated in accordance with WAREMA Colour World, poles optionally in stainless steel
Fabric	Standard/Lumera acrylic, Perfora acrylic fabric




Sun sails Sonea S50

Shading at its best

Make your summer dreams come true at home. The airy and elegant sun sail impresses with its stability, a convenient crank operation and the radial fabric cut – an extraordinary design element and a real eye-catcher. For that certain something on the building wall or in the garden.

- Available both with symmetrical and asymmetrical fabric
- Fabrics available in triangular shape
- Flexible fixing possible, even on the building wall
- Stable pole for open spaces, powder-coated in accordance with the WAREMA Colour World in a stainless steel design
- Optional height adjustment for the fabric's lowering mechanism offers protection when the sun is low
- Ideal for shading large areas
- Clean line guidance and particular stability thanks to the cable deflection (black)



- 3 Fabric shaft
 4 Fabric
 5 Pole

Max. width	9,000 mm
Max. extension per side	6,500 mm
Drive	Crank
Colour	Powder-coated in accordance with WAREMA Colour World or poles in stainless steel
Fabric	Standard/Lumera acrylic, Perfora acrylic fabric





Sun sails Sonea S70







Stylish design highlight

Relax in style with sun shading: the compact sun sail impresses with a light and modern look, a variety of design options and well thought-out details. For example, technical components such as the motor are completely hidden within the fabric shaft. A real eye-catcher for your garden and patio.

- Available both with symmetrical and asymmetrical fabric
- Fabrics also in triangular shapes
- Excellent design for gardens and patios
- Optional height adjustment for the fabric's lowering mechanism offers protection when the sun is low
- Poles optionally available in stainless steel
- Wall connection possible
- WMS Weather station for automatic fabric retraction when the weather changes
- Clean line guidance and particular stability thanks to the cable deflection (black)



Poles in stainless steel


- Optional wall console with matching cover panel to attach the sail to the wall

Height adjustment

- Thanks to the optional height adjustment, the fabric can be lowered and offers protection when the sun is low
- Easy manual operation
- Ideal for west-facing patios

WMS Weather station

- Fabric retracts automatically in high winds
- Convenient operation with a WMS Hand-held transmitter or via smartphone with WMS WebControl pro
- Only available for Sonea S70



- Traction cable

- 2 Fabric
 3 Shaft
 4 Motor
 5 Pole

Max. width	9,000 mm
Max. extension per side	6,500 mm
Drive	Motor with WMS Plug receiver
Colour	Powder-coated in accordance with WAREMA Colour World, poles optionally in stainless steel
Fabric	Standard/Lumera acrylic fabric, optionally Perfora acrylic fabric








Do you want to enjoy the balmy summer air while relaxing in your home?

Then keep troublemakers like mosquitoes, wasps and even pollen and fine dust outside. With our innovative insect screen and pollen protection solutions, you can relax and breathe easy at all times. Whether for windows, patio doors or integrated into sun shading systems, the elegant and extremely stable systems are suitable for any application and are also available in special shapes. Special fabric variants are sure to fulfil all wishes for a perfect view out or even reliable protection against pollen or fine dust.

For more fun in the summer and a boost to your quality of life – with WAREMA insect and pollen screens.



Insect screen roller blind

Flexible protection against insects

A breath of fresh air is always welcome in stuffy loft spaces - but not annoying insects, which only need a small window gap to enter. The fixed insect screen roller blind provides the ideal solution for this purpose. The insect screen roller blind can be installed vertically on both conventional windows and doors and on roof slopes.

- Securely mounted, ready for use at any time
- Soft-raise function for smooth and controlled raising of the sun shading product
- Easy closing by engaging into the special labyrinth lock
- Wind-stable thanks to lateral fixing of the gauze using brush seals in the guide rails

Max. width	2,000 mm
Max. height	2,400 mm
Max. area	4.8 m ²
Operation	Manual with handle rail, driven by integrated spring-loaded shaft
Gauze	WAREMA VisionAir gauze
Cassette and guide rails	Aluminium, extruded, surface powder-coated
Fields of application	Vertical windows and doors, (roof) slopes and skylights
Installation	In the reveal, suitable for all window frames, for installation on window frames, only for flush or offset windows without protruding water drips





- Gauze
 Lateral guidance with
- guide rails

Insect screen Fixed frame

Practical year-round solution

Air your rooms thoroughly, even on warm summer evenings, and look forward to a restful sleep without pesky mosquitoes or moths. The stable and securely mounted insect screen fixed frame adapts to any window thanks to its discreet appearance. The optional brush seal closes every last loophole.

- For a great variety of windows (even those with sloped window sill)
- For use in sloped areas, e.g. on skylights
- Securely mounted and therefore very stable
- Suitable for retrofitting
- Rectangular and round special shapes are available (depending on type)
- Inward alignment of the gauze possible (depending on type)



_	Frame profile
2	Gauze
3	Spring pins

Max. width	3,000 mm
Max. height	3,000 mm
Max. area	4.5 m ²
Operation	Securely mounted to the window
Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
Frame profile	Aluminium, extruded, surface powder-coated
Fields of application	For windows which are only opened for ventilation, windows in special shapes
Installation	Tightly screwed to the reveal, with spring pins in lateral fixing holes, for suspension using adjustable or spring-loaded corner plates on flush and offset windows (no on-site installation), with fixing bracket or rails for flush and offset windows





Insect screen Swivel door

Reliable protection

Insect screens and pollen protection for patio and balcony doors guarantee unlimited enjoyment. The magnetic catch for the insect screen swivel door seals reliably and the kick profile also protects the lower section of the gauze.

- Closes reliably and tightly thanks to the magnetic catch and integrated closing aid
- Kick profile in the lower section protects the gauze
- Cross rail with integrated handle rail for reinforcement
- Flexible operation from inside or outside
- Pet door can be integrated

Max. width	1,300 mm / wing
Max. height	2,500 mm / door wing; 1800 mm / window wing
Max. area	2.5 m ² / wing
Operation	Operated by handle rail. Closes with integrated closing aid and magnetic catch
Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
Frame profile	Aluminium, extruded, surface powder-coated
Models	One or two wings
Fields of application	Passages to a balcony or patio, windows and doors which are opened often, windows and doors with one or two wings, special shapes, for sloped exits and/or window sills
Installation	With mounting frames on three or all four sides, without mounting frame on window or door frame



- Frame profile
 Gauze
 Hinge
 Sash bar with integrated handle rail

 Step profile







Space-saving solution

Whether inside or outside, look forward to a relaxed summertime - completely secure against unwelcome troublemakers. The insect screen sliding door takes up very little space as it slides along the wall and is available as a one-wing or two-wing model for large glass surfaces.

Max. width

Max. height

Max. area

The benefits for you

- Ideal for large areas
- Flexible operation from inside or outside using a handle shell on the inside and outside
- Comfortable solution that takes up little space



 Frame profile Gauze Running profile Running rail Handle shell 	Operation	Manual sliding of the frame
	Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
	Frame profile	Aluminium, extruded, surface powder-coated
	Models	One or two wings
	Fields of application	Passages to conservatories, patios, balconies or glazed facade sections, one-wing and two-wing windows and doors
	Installation	With a surrounding mounting frame on or in the reveal, in rails, guided by base, wall or U-shaped profiles, directly on the wall or in a recess
Transle shell		

2,100 mm / wing

3,000 mm / wing

 $6 \, m^2 \, / \, wing$





Insect screen Pleated blind

Effective in even the smallest space

You can effectively protect yourself from annoying insects, even on small balconies or patios. The insect screen pleated blind can be moved crosswise and disappears into the frame to save space.

- Horizontally movable insect screen pleated blind slides into the frame to save space
- Flexible operation on room side and facade side by means of integrated handle rail
- Operation at any height

Max. width	2,200 mm
Max. height	2,600 mm
Max. area	5.7 m ²
Operation	Manual sliding of the insect screen pleated blind
Gauze	Pleated
Aluminium parts	Fields of application: in the reveal, on an even substructure

- Upper guide rail Base profile
- Upper guide id.
 Base profile
 Lateral end profile
 Sash profile
 Gauze





Completely secure

Insect screen and pollen protection from WAREMA offers convenient operation and effective protection in one. The insect screen swinging door is easy to operate - even if you do not have a free hand. It automatically swings back to the starting position.



The benefits for you

- Closes reliably and tightly
- Cross rail with integrated handle rail for reinforcement
- Flexible operation from inside or
- Automatic closing mechanism due to swinging of the door

Max. width	1,300 mm
Max. height	2,500 mm
Max. area	2.5 m^2
Operation	Operated by handle rail, the insect screen swinging door automatically swings back to the starting position.
Frame profile	Aluminium, extruded, surface powder-coated
Models	One-wing
Fields of application	Passages to balcony or patio, windows and doors which are opened often


Installation: with mounting frame on three or all four sides




Frame profile, mounting

Sash bar with integrated handle rail

frame Gauze





WAREMA VisionAir pollen protection

- Effective protection against pollen

WAREMA VisionAir fine dust gauze

- Highly transparent, tear-resistant fabric
- Effective protection against insects, pollen and fine dust
- Colour: black



- Durable polyester mesh gauze
- For heavy wear and tear, e.g. in homes with pets
- Colour: black



- Suitable for particularly hard wear (e.g. scratching by pets)
- Durable and wear-resistant



Grid for light well covers

- Fine-meshed stainless steel grid
- Keeps out insects, spiders and mice, as well as leaves and dirt
- Installed directly on the existing grid





More comfort

Choose from a wide variety of components: WAREMA also has the ideal control for your outdoor living product for your requirements – also for retrofitting.

Valance roller blind with motor, battery and WMS Comfort control

The valance roller blind can be comfortably operated by battery-powered motor.



WMS sensor system for secudrive® units

Even in windy conditions, the WMS sensor system for conservatory awnings Climara and pergola awnings Perea offers reliable damage protection. The WMS sensor system is integrated on the guide rail directly ex works.



Integrated control

The WMS components are already built-in ex works. Depending on the type of awning, they are directly integrated in the bearing tube or completely integrated in the shaft housing and connected and can be learned in on request.





Colour selection

For the powder-coated aluminium parts, you can choose from over 200 attractive powder colours. Our clearly arranged categories Highlight, Variation and Individual make it easier for you to decide. This way, you can find the right colour for your individual awning.


Surface qualities

Five different surface options allow you make the perfect choice to suit your personal requirements. Satin finish has a slightly glossy surface with a smooth profile and optimal light and weather resistance. The matt surface, on the other hand, is distinguished by its smooth matt finish. Fine texture adds impressive effects. The highly weather-resistant finishes are characterised by significantly improved weathering behaviour with regard to gloss retention, weathering, chalking and colour stability. This is available in Matt and Fine Texture options.



An array of fabric qualities and designs guarantees you full design flexibility. Create your individual open space with optimum protection thanks to the exclusive and stylish sun sail Sonea.

You can obtain more information at www.awnings-collection.com




Everything at a glance

							,	Articulated	arm awnin	gs	Patio side				
		Cassette awnings		Cassette awnings			Half- closed		Open		screens	Pergola awnings			
	1	550	580	K50	K60	K70	H60	530	G60	700S	390	P20	P40	P60	P70
Features/ construction limit values*	Max. width (mm)	4500	5500	5000	7000	7000	7000	6000	7000	5960	2500	6500	6500	6000	6000
	Max. projec- tion/depth/ height (mm)	2500	3000	3000	4000	4000	4000	3500	4000	3000	5000	6000	7000	5000	6000
	Inclination	5-40°	5-40°	5-35°	5-30°	5-35°	5-45°	0-90°	5-85°	5-20°	-	0 -15°	0-45°	9-15°	7-20°
	Installation	outside			outside		outside	outside outs		side Shaft		outside	outside	outside	outside
	Power trans- mission/ guidance	Flexband	Flexband	Flexband	Segment, chain, steel cable	Segment, chain, steel cable	Segment, chain, steel cable	Flexband	Segment, chain, steel cable	Segment, chain, steel cable	-	secudrive®	secudrive®	secudrive®	Back-pull
	Slats	-	-	-	-	-	-	-	-	_	-	-	-	-	-
Operation		Crank, mo- tor, WMS Radio motor	Crank, mo- tor, WMS Radio motor, solar drive	Crank, motor, WMS Radio motor, solar		Motor, WMS Radio motor	Crank, mo- tor, WMS Radio motor, solar drive	Crank, motor, WMS Radio motor, solar		Motor, WMS Radio motor	Handle	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor
Fabric in accordance with WAREMA collection	Standard/ Lumera acrylic fabric	•	•	•	•	•	•	•	•	•	•	•	•	-	-
	All Weather acrylic, Per- fora acrylic	0	0	0	0	0	0	0	0	0	0	0	0	-	-
	Soltis-92	0	0	0	0	0	0	0	0	0	0	0	0	-	-
	Twilight Pearl	0	0	0	0	0	0	0	0	0	0	0	0	_	_
	Rainproof textile	_	-	-	-	-	-	-	_	_	-	_	_	W36	W96
Standard colours		3	3	3	Colours in accordance MA Colour Wo			3		accordance v		Colours in accordance with WAREMA Colour World			
	WMS wind sensor	0	0	0	0	0	0	0	0	0	-	-	-	-	-
	WMS Sensor IS3	-	-	-	-	-	-	-	-	-	-	0	0	-	-
Optional equipment	Valance	0	0	-	•	-	•	•	•	-	-	-	-	-	-
	Valance roller blind	_	0	0	•	0	0	-	0	-	-	-	0	-	-
	Fabric bear- ing shell	_	•	•	•	•	0	-	_	-	-	-	-	-	-
	Wall connec- tion profile with rain	0	0	0	0	0	-	-	-	-	-	0	0	•	•
	hood Turning gear	_	_	-	-	-	0	-	0	_	-	_	-	_	-
	LED strip	0	0	0	0	0	0	0	0	_	_	0	0	0	_
	light rail	-	0	0	0	0	0	-	0	-	-	0	0	0	-
	lighting Design radi-	0	0	0	0	0	0	0	0	0	0	0	0	_	0
	ant heater Patio frame	0	0	0	0	0	0	0	0	_	-	0	0	0	-
	LB model	_	_	_	_	_	0	0	0	_	_	-	-	_	_
Optional extras		WMS F	WMS Radio remote control WMS Comfort of			6 Comfort co	ontrol	Rain hood type 530	WMS Comfort control	Concealed shaft in- stallation	Sloped fabric path, Screen fabric quality	Multicube set	WMS Comfort control	Fixed front-mount with easyZl	
Contr	ol systems	0	0	0	0	0	0	0	0	0	_	0	0	0	0
* depending on fabric area limitations possible. • standard of entired participals															

 $^{^{\}star}$ depending on fabric, area limitations possible $\, ullet$ standard $\, \circ$ optional $\, -$ not possible

	Conservatory awnings							Sun sails					
L50	L60	L70	L60 Free	L70 Free	W10	W20	W9	W19	W7	D3	S40	S50	S70
4500	4500	4500	4500	4500	6500	6500	6000	6000	6000	4000	9000	9000	9000
6000	6000	6000	6000	6000	6000	6000	6000	6000	4500	5000	4500	6500	6500
-	-	-	-	-	-	-	-	-	-	-	-	-	-
Free-standing or wall connection			Integrated or surface- mounted installation		inside	outside	inside	outside	outside	outside	Free-standing or v		all connection
-	-	-	-	-	secudrive®	secudrive®	Back-pull	Back-pull	Back-pull	Back-pull	-	-	-
pivotable	pivotable	pivotable and ma- noeuvrable	pivotable	pivotable and ma- noeuvrable	-	-	-	-	-	-	-	-	-
WMS Radio motor	WMS Radio motor	WMS Radio motor	WMS Radio motor	WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor	Motor, WMS Radio motor	Crank		Motor with WMS Plug receiver
-	-	-	-	-	•	•	•	•	•	•	•	•	•
-	-	-	-	-	0	0	0	0	0	0	0	0	0
-	-	-	-	-	0	0	0	0	0	0	-	-	-
_	-	-	-	-	0	0	0	0	-	0	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Colours in accordance with WAREMA Colour World With WAREM Work												
-	-	-	-	-	-	-	-	-	-	-	-	-	-
_	-	-	-	-	-	0	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
_	-	-	-	-	0	-	0	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	0	-	-	-	-	-	-	-	-
0	0	0	0	0	0	-	-	-	-	-	-	-	-
0	0	0	0	0	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
All-round lighting, lighting integrated in the slats, lighting on the pole, indirect RGB lighting, GranTex with easyZIP guidance, wooden, glass or aluminium sash frames Indirect RGB lighting, vertical shading thanks to integrated awnings with easyZIP guidance, vertical glass, wood or aluminium elements, power socket, additional or offset pole			Integrated LED lighting, indirect RGB lighting, design radiant heater		WMS Comfort control, rectangular cover panel shape	Rectangu- lar cover panel shape	-	WMS Weather station	WMS Weather station	WMS Weather station	Height adjustment, wall consoles, pole in stainless steel		WMS Weather station height adjustment, wall consoles, pole in stainless steel
0	0	0	0	0	0	0	0	0	0	0	0	0	0
* depending on fab	ال محمد ان	mitations	naasibla	• ston	طمعط م			asibla					



With products from WAREMA, you can now make your personal Outdoor Living dream come true. They provide optimum sun shading and weather resistance. Intelligent controls ensure even more comfort.

Thanks to notable manufacturers we can now offer you an even greater variety of solutions for your outdoor living space. Attractive parasols from CARAVITA create stylish accents in your open space. In combination with the functional and aesthetic patio roofing of Solarlux, our Climara awnings offer full comfort.





Patio roofing

Our partner Solarlux offers a multitude of well-designed terrace roofs. The combination with a Climara awning from WAREMA meets every expectation. Discover the options and enjoy your outdoor living space.

Parasols

Parasols from CARAVITA create a very unique ambience in your garden, on your patio or on your balcony. The stable construction provides reliable shading on hot summer days. The LED lighting and radiant heater ensure a real feel-good atmosphere even in the evening and in the late summer. Experience the exclusive CARAVITA ambience

www.caravita.eu



Fixed sun sail

With the exclusive products from CARAVITA, we offer an even greater selection of solutions for your outdoor living space. The fixed sun sails create a very unique ambience in your garden, on your patio or on your balcony. Whether free-standing or attached to the house, they are ideal for almost every location of use and are available both in a standard size and made-to-measure. Experience the exclusive CARAVITA ambience at www.caravita.eu





Want to just put your feet up and not worry about a thing? With Smart Home, these dreams will come true. Innovative technology enables sun shading, lighting, heating, household appliances and more to be intelligently networked and easily controlled via smartphone or completely automatically – for a true feel-good home.

With WAREMA control systems, you can always find the perfect Smart Home solution – whether simply through retrofitting, during renovation, or in new buildings.

Find the ideal solution - made in Germany - for your project: www.warema.de/smarthome



Printing errors, changes and deviations from the technical specifications and product presentation are possible due to the individual structural conditions and apply to all the products included in this brochure.



More comfort

Want to save your hand up to 1,000 movements per year? No problem, because sun shading systems, heating, light and more can be controlled automatically. The sun control lowers the roller shutters when the sun is shining in summer and therefore prevents rooms from heating up.



More safety

Protect what's important to you: your family, your home, but also your personal data. A clever occupancy simulation deters burglars and therefore ensures that your home is safe.



More efficiency

Heating, lighting and sun shading systems control themselves depending on environmental influences, thus saving real money while also protecting the environment. The lights turn off when no one is home.



More user-friendly

Your entire home under control. Whether hand-held transmitters, wall-mounted transmitters or an app - the intuitive operation makes it possible for everyone. Awnings, external venetian blinds and more will listen to your commands with the voice-controlled assistant.







We at WAREMA are passionate about sunlight. We want everyone to be able to create their preferred atmosphere of light and warmth at home and in their workplace. That is why we have developed a complete range of sun shading products for inside and outside, as well as modern control systems and innovative technologies to enable exactly that.

As well as comfort, sustainability is especially important to us in this process. The intelligent sun shading control significantly lowers energy consumption for heating and artificial lighting. We offer the right package for everyone, whatever your individual requirements.



An intelligent solution for every requirement



Home Comfort

An individualised feel-good atmosphere makes life more pleasant. WAREMA external venetian blinds, roller shutters and window awnings ensure the perfect mood lighting inside and leave the heat outside.



Interior Design

Sunlight is good for you – in the right amount and in the right places. This is guaranteed by the internal sun shading solutions from WAREMA, which are ideally suited to your intended use.



Outdoor Living

With awnings, sun sails or slat roofs, you can use open spaces to relax and extend your living space to the outdoors. This makes your patio, conservatory or green oasis a space where you can live out and feel in.



How convenient to be able to control your comfort at the touch of a button. Intelligent control systems take over operation almost completely, fully automatically and with energy efficiency. Life is easy with WAREMA!


Our service makes all the difference

In order to ensure the best design and the highest quality, we develop and produce our products in Germany and place great value on optimum production conditions. Our demand for perfection is driven by our enthusiasm for engineering and our love of details. Consultation and service are just as important to us. Whether before, during or after your purchase, our combined expert knowledge, a close-knit customer service network and comprehensive sales and planning support guarantee the best individual solution.

Discover SunLightManagement!

You can find out even more about solutions and product highlights from WAREMA in our other brochures. Simply download or request them atwww.warema.com/leaflets.







Consultation brochure Control systems



Consultation brochure Lamaxa Moments



Collection magazine

For more information please contact your WAREMA dealer:

